NEUTRAL TEMPERATURE (DEG K)
Zonal Mean at constant SLT = 0.00




MIN,MAX= 1.2167E+02 2.6215E+02 INTERVAL= 1.0000E+01
Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0
/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc

NEUTRAL TEMPERATURE (DEG K)
Zonal Mean at constant SLT = 0.00




MIN,MAX= 1.2170E+02 2.6142E+02 INTERVAL= 1.0000E+01
Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0
/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc

NEUTRAL TEMPERATURE (DEG K)
Zonal Mean at constant SLT = 12.00




MIN,MAX= 1.2186E+02 2.7897E+02 INTERVAL= 1.0000E+01
Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0
/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc

NEUTRAL TEMPERATURE (DEG K)
Zonal Mean at constant SLT = 12.00




MIN,MAX= 1.2191E+02 2.7831E+02 INTERVAL= 1.0000E+01
Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0
/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc

NEUTRAL ZONAL WIND (M/S)
Zonal Mean at constant SLT = 0.00




MIN,MAX= -1.9845E+02 1.0805E+02 INTERVAL= 2.5000E+01
Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0
/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -1.9843E+02 1.0657E+02 INTERVAL= 2.5000E+01

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc

NEUTRAL ZONAL WIND (M/S)
Zonal Mean at constant SLT = 12.00




MIN,MAX= -2.5662E+02 2.0110E+02 INTERVAL= 2.5000E+01
Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0
/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc

NEUTRAL ZONAL WIND (M/S)
Zonal Mean at constant SLT = 12.00




MIN,MAX= -2.5651E+02 1.9718E+02 INTERVAL= 2.5000E+01
Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0
/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc

NEUTRAL MERIDIONAL WIND (M/S)
Zonal Mean at constant SLT = 0.00




MIN,MAX= -2.0268E+02 2.9517E+02 INTERVAL= 4.0000E+01
Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0
/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -2.0219E+02 2.9325E+02 INTERVAL= 4.0000E+01

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc

NEUTRAL MERIDIONAL WIND (M/S)
Zonal Mean at constant SLT = 12.00




MIN,MAX= -1.7470E+02 3.1032E+02 INTERVAL= 4.0000E+01
Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0
/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc

NEUTRAL MERIDIONAL WIND (M/S)
Zonal Mean at constant SLT = 12.00




MIN,MAX= -1.7296E+02 3.0929E+02 INTERVAL= 4.0000E+01
Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0
/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc

LOG10 ATOMIC OXYGEN (CM3-MR)
Zonal Mean at constant SLT = 0.00




MIN,MAX= -3.3058E+00 -9.2562E-03 INTERVAL= 2.5000E-01
Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0
/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -3.3046E+00 -9.7852E-02 INTERVAL= 2.5000E-01

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc

LOG10 ATOMIC OXYGEN (CM3-MR)
Zonal Mean at constant SLT = 12.00




MIN,MAX= -3.3058E+00 -3.8505E-02 INTERVAL= 2.5000E-01
Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0
/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -3.3054E+00 -4.2571E-01 INTERVAL= 2.0000E-01

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -2.7037E+00 -9.9731E-01 INTERVAL= 1.0000E-01
Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0
/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -2.7034E+00 -1.0310E+00 INTERVAL= 1.0000E-01

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc

LOG10 CARBON MONOXIDE (CO) (CM3-MR)
Zonal Mean at constant SLT = 12.00




MIN,MAX= -2.7037E+00 -9.9049E-01 INTERVAL= 1.0000E-01
Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0
/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -2.7036E+00 -1.0331E+00 INTERVAL= 1.0000E-01

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -8.6863E+00 -2.0403E+00 INTERVAL= 5.0000E-01

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -8.5637E+00 -2.3192E+00 INTERVAL= 5.0000E-01

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -8.6342E+00 -2.0517E+00 INTERVAL= 5.0000E-01

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -8.5601E+00 -2.5100E+00 INTERVAL= 5.0000E-01
Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0
/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -1.9966E+01 -3.5759E+00 INTERVAL= 1.0000E+00

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -1.9920E+01 -3.5897E+00 INTERVAL= 1.0000E+00

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -1.9990E+01 -3.5602E+00 INTERVAL= 1.0000E+00

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -1.9840E+01 -3.5672E+00 INTERVAL= 1.0000E+00

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= 0.0000E+00 0.0000E+00 INTERVAL= 0.0000E+00

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= 0.0000E+00 0.0000E+00 INTERVAL= 0.0000E+00

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= 0.0000E+00 0.0000E+00 INTERVAL= 0.0000E+00

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= 0.0000E+00 0.0000E+00 INTERVAL= 0.0000E+00

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -1.0674E+01 3.0000E+00 INTERVAL= 1.0000E+00

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -1.0073E+01 2.8440E+00 INTERVAL= 1.0000E+00

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -1.1479E+01 3.0000E+00 INTERVAL= 1.0000E+00

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -1.1369E+01 2.8660E+00 INTERVAL= 1.0000E+00

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -1.3180E+01 5.1007E+00 INTERVAL= 1.0000E+00

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -1.2967E+01 5.0984E+00 INTERVAL= 1.0000E+00

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -1.2953E+01 5.3104E+00 INTERVAL= 1.0000E+00

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -1.1949E+01 5.3092E+00 INTERVAL= 1.0000E+00

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -4.0848E+00 -1.7050E+00 INTERVAL= 1.0000E-01

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -2.4082E+00 -1.7051E+00 INTERVAL= 5.0000E-02

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -3.0823E+00 -1.7150E+00 INTERVAL= 1.0000E-01
Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0
/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -1.9090E+00 -1.7152E+00 INTERVAL= 1.0000E-02

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc

LOG10 MOLECULAR OXYGEN (CM3-MR)
Zonal Mean at constant SLT = 0.00




MIN,MAX= -3.8471E+00 -2.4752E+00 INTERVAL= 1.0000E-01
Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0
/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -2.9514E+00 -2.4757E+00 INTERVAL= 2.5000E-02

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc

LOG10 MOLECULAR OXYGEN (CM3-MR)
Zonal Mean at constant SLT = 12.00




MIN,MAX= -3.2276E+00 -2.5255E+00 INTERVAL= 5.0000E-02
Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0
/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -2.9527E+00 -2.5260E+00 INTERVAL= 2.5000E-02

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc

LOG10 MOLECULAR NITROGEN (CM3-MR)
Zonal Mean at constant SLT = 0.00




MIN,MAX= -2.0092E+00 -6.1851E-01 INTERVAL= 1.0000E-01
Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0
/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -1.5688E+00 -6.2118E-01 INTERVAL= 5.0000E-02

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc

LOG10 MOLECULAR NITROGEN (CM3-MR)
Zonal Mean at constant SLT = 12.00




MIN,MAX= -1.5689E+00 -6.4936E-01 INTERVAL= 5.0000E-02
Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0
/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -1.5689E+00 -6.6475E-01 INTERVAL= 5.0000E-02

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= 1.2167E+02 2.5901E+03 INTERVAL= 2.0000E+02
Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0
/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= 1.2168E+02 3.9571E+02 INTERVAL= 2.0000E+01

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= 1.2168E+02 2.9614E+03 INTERVAL= 2.0000E+02

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= 1.2171E+02 3.8018E+02 INTERVAL= 2.0000E+01

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc

ELECTRON TEMPERATURE (DEG K)
Zonal Mean at constant SLT = 0.00




MIN,MAX= 1.2167E+02 3.1240E+03 INTERVAL= 2.5000E+02
Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0
/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= 1.2168E+02 1.4728E+03 INTERVAL= 1.0000E+02

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= 1.2168E+02 3.2240E+03 INTERVAL= 2.5000E+02

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= 1.2171E+02 1.4761E+03 INTERVAL= 1.0000E+02

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -8.5596E-01 5.2471E+00 INTERVAL= 5.0000E-01

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -5.5935E-02 5.2451E+00 INTERVAL= 4.0000E-01

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc

LOG10 ELECTRON DENSITY (CM3)
Zonal Mean at constant SLT = 12.00




MIN,MAX= -8.6554E-01 5.4383E+00 INTERVAL= 5.0000E-01
Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0
/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc

LOG10 ELECTRON DENSITY (CM3)
Zonal Mean at constant SLT = 12.00




MIN,MAX= -5.7509E-01 5.4369E+00 INTERVAL= 5.0000E-01
Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0
/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc

VERTICAL WIND (PLUS UP) (M/S)
Zonal Mean at constant SLT = 0.00




MIN,MAX= -5.3629E+00 3.8964E+00 INTERVAL= 5.0000E-01
Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0
/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -3.9229E+00 2.2838E+00 INTERVAL= 5.0000E-01

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -7.4974E+00 5.9140E+00 INTERVAL= 1.0000E+00

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= -4.5257E+00 3.0475E+00 INTERVAL= 5.0000E-01

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc

GEOPOTENTIAL HEIGHT (KM)
Zonal Mean at constant SLT = 0.00




MIN,MAX= 6.5197E+01 2.9319E+02 INTERVAL= 1.0000E+01
Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0
/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= 7.0000E+01 2.0000E+02 INTERVAL= 1.0000E+01

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc

GEOPOTENTIAL HEIGHT (KM)
Zonal Mean at constant SLT = 12.00




MIN,MAX= 6.4573E+01 3.0241E+02 INTERVAL= 1.0000E+01
Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0
/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc




MIN,MAX= 7.0000E+01 2.0000E+02 INTERVAL= 1.0000E+01

Zonal Mean over 25 times: 511, 0, 0 to 512, 0, 0

/BOUGHER/SWBM08/p1MOD270d.D1.nc to /BOUGHER/SWBM08/p1MOD270d.D4.nc